

letture di campagna

valori derivati

PROFONDITA' [metri]	hpt [kg]	hst [kg]	hl [kg]	hst-hpt [kg]	hst [kg/cmq]	hp/hst []	ht-hpt [kg]	fl [gradi]	dr [°]	cu [kg/cmq]	ce [cmq/l]
.2											
.4											
.6	120	270	400	150	1	12	260			.43	17.13
.8	100	300	300	200	1.33	8	250			.4	22.2
1	210	410	1000	220	1.46	16	210			.96	16.94
1.2	350	350	3000	310	2.26	17	1410			1.56	14.69
1.4	510	1100	1700	500	3.75	11	1150			2.7	11.85
1.6	500	600	1700	300	2	25	1200			2.5	12.57
1.8	110	250	1100	310	2.26	18	1290			1.64	14.3
2	210	200	1000	410	3.65	0	1520			.96	15.94
2.2	220	510	1000	320	2.19	10	1580			.60	17.15
2.4	100	320	2300	200	1.33	12	2140			.61	17.93
2.6	100	210	2500	60	.4	15	2320			.72	17.4
2.8	170	250	3100	80	.53	31	2930			.16	17.75
3	150	310	3500	150	1	19	2110			.76	17.17
3.2	200	350	3500	150	1	20	3300			.6	17.76
3.4	200	350	3000	100	1.06	19	3100			.8	17.36
3.6	220	430	4000	200	1.33	17	3200			.60	17.15
3.8	120	400	4050	280	1.66	6	2930			.40	19.13
4	150	310	4100	190	1.76	12	3750			.6	16.14
4.2	100	250	4000	120	.6	13	5100			.4	20.3
4.4	100	170	3400	70	.45	21	3900			.4	20.5
4.6	80	110	3700	60	.53	15	3620			.32	22.20
4.8	110	100	3500	40	.26	53	3300	25	13		15.4
5	110	220	3500	80	.53	26	2300			.56	10.4
5.2	220	300	3500	60	.53	11	2200			.66	17.15
5.4	80	200	3100	120	.8	10	3250			.32	22.20
5.6	150	200	3100	50	.25	15	2950			.6	10.14
5.8	100	200	3500	70	.45	125	3020	32	16		17.6
6	100	100	3100	20	.13	170	3110	30	15		17.93
6.2	70	100	3000	150	.73	10	2930			.70	25.01
6.4	60	100	3300	10	.26	51	3240			.21	25.93
6.6	500	510	3100	50	.53	120	3100	35	30		12.57
6.8	350	400	3000	130	.66	11	3250			1.4	15.42
7	200	200	3700	120	.8	35	3110			1.04	16.32
7.2	220	350	3000	100	1.06	51	3500			.60	17.15
7.4	100	200	4000	100	.66	27	3020			.72	17.4
7.6	100	110	4100	10	.26	39	4000			.4	20.3
7.8	120	200	4000	110	.93	13	4100			.40	19.13
8	210	310	4500	80	.53	19	4500	29	35		16.72

letture di campagna

valori generali

PROFONDITA' (metri)	hpt (kg)	kat (kg)	hal (kg)	kat hpt (kg)	hal (kg/eq)	hp/hal	kt-hpt (kg)	fi (gradi)	tr (l)	cu (kg/eq)	ca (eq/t)
0.2	200	300	5000	100	.66	42	4720			1.12	95.43
0.4	300	400	5000	100	.66	45	4700			1.2	15.21
0.6	200	410	4500	150	1.05	26	4520			1.17	66.40
0.8	400	460	4700	80	.4	100	4500	34	22		14.5
9	320	450	4800	160	1.05	30	4400			1.26	15.51
9.2	400	500	4700	100	.66	60	4320	30	53		14.5
9.4	460	560	4300	100	.65	69	4300	30	56		13.23
9.6	300	540	4500	40	.76	113	4100	31	26		16.21
9.8	250	540	4500	80	.53	67	4000	29	23		16.70
10	300	560	4500	40	.76	113	4000	34	25		15.21