

FONDATA [cm]	Qc [kg/cmq]	Fe [kg/cmq]	Qc/Fe	Qt [kg]	o [kg/dm]	Onv [kg/cmq]	θ [gradi]	D ₁ [°]	C ₁ [kg/cmq]	N _v [cmq/t]	Colonna Stratig.
0.2					1.83	.04	-	-	-	-	
0.4					1.80	.07	-	-	-	-	
0.6	12.1	.6	20	330	1.90	.11	-	-	.48	21.2	#####
0.8	17.1	.3	65	560	1.69	.14	38	52	-	16.7	#####
1.0	35.3	.8	44	780	1.76	.18	29	-	-	9.4	#####
1.2	42.3	1.3	33	1110	1.83	.22	30	-	-	7.9	#####
1.4	47.3	1.9	25	1410	1.96	.26	-	-	1.88	8.5	#####
1.6	42.3	2.1	20	1780	1.97	.29	-	-	1.62	9.5	#####
1.8	34.4	1.6	19	2150	1.93	.33	-	-	1.36	11.6	#####
2.0	26.4	1.7	16	2660	1.94	.37	-	-	1.04	15.2	#####
2.2	25.4	1.7	15	3100	1.93	.41	-	-	1.00	15.7	#####
2.4	26.4	1.7	15	3340	1.94	.45	-	-	1.04	15.2	#####
2.6	24.4	1.7	15	3550	1.93	.49	-	-	.96	16.4	#####
2.8	23.5	1.9	13	3820	1.93	.53	-	-	.92	17.0	#####
3.0	20.5	1.4	15	4170	1.92	.57	-	-	.80	19.5	#####
3.2	23.5	1.7	14	4260	1.93	.60	-	-	.92	17.0	#####
3.4	23.5	1.7	14	4340	1.93	.64	-	-	.91	17.0	#####
3.6	19.5	1.3	15	4409	1.91	.62	-	-	.75	19.8	#####
3.8	14.6	1.1	13	4446	1.58	.71	-	-	.36	25.4	#####
4.0	14.6	1.1	13	4426	1.56	.74	-	-	.55	25.4	#####
4.2	10.6	.7	14	4499	1.54	.77	-	-	.39	34.9	#####
4.4	15.6	.5	29	4609	1.91	.81	-	-	.54	19.5	#####
4.6	16.6	.5	36	4609	1.89	.85	-	-	.63	17.2	#####
4.8	15.7	.1	16	4626	1.91	.89	-	-	.53	19.5	#####
5.0	17.7	.7	24	4709	1.91	.92	-	-	.67	19.4	#####
5.2	14.7	.7	22	4830	1.91	.96	-	-	.55	19.6	#####
5.4	14.7	.8	18	4390	1.91	1.00	-	-	.55	19.6	#####
5.6	13.7	.9	15	4580	1.91	1.04	-	-	.51	20.2	#####
5.8	19.9	1.2	17	4760	1.92	1.08	-	-	.75	20.0	#####
6.0	34.9	.4	87	4920	1.77	1.11	31	30	-	9.6	#####
6.2	30.9	1.5	20	5130	1.93	1.15	-	-	1.19	12.9	#####
6.4	26.9	1.5	19	5310	1.94	1.19	-	-	1.11	13.8	#####
6.6	30.9	1.6	19	5410	1.93	1.23	-	-	1.19	12.9	#####
6.8	32	1.3	25	5580	1.93	1.27	-	-	1.23	12.5	#####
7.0	24	1.5	19	5700	1.94	1.31	-	-	1.11	13.8	#####
7.2	19	1.5	13	5800	1.62	1.34	-	-	.71	19.5	#####
7.4	32	.9	34	5840	1.76	1.37	29	-	-	10.4	#####
7.6	14	.5	26	5930	1.91	1.41	-	-	.50	20.0	#####
7.8	14.2	.7	19	6060	1.91	1.45	-	-	.51	19.9	#####
8.0	20.2	.3	76	6090	1.70	1.48	28	5	-	16.5	#####
8.2	14.2	.1	14	6770	1.91	1.52	-	-	.51	19.9	#####
8.4	77.2	.7	116	6530	1.93	1.56	33	50	-	4.3	#####
8.6	16.2	1.1	15	6740	1.91	1.60	-	-	.58	19.4	#####
8.8	16.3	1.1	15	6740	1.91	1.64	-	-	.59	19.4	#####
9.0	36.3	1.7	17	6840	1.93	1.69	-	-	1.14	13.2	#####
9.2	22.3	.9	24	6760	1.93	1.72	-	-	.82	17.9	#####
9.4	18.3	1.1	9	6670	1.53	1.75	-	-	.34	36.0	#####
9.6	28.1	.5	53	6650	1.74	1.78	26	12	-	11.8	#####
9.8	22.4	.5	49	7060	1.71	1.82	26	4	-	14.4	#####
10.0	35.4	.9	46	7130	1.78	1.85	30	-	-	6.7	#####