


| prof.(m)   | N (colpi) | Rpd(kg/cm <sup>2</sup> ) | asta |  | prof.(m)   | N (colpi) | Rpd(kg/cm <sup>2</sup> ) | asta |
|------------|-----------|--------------------------|------|--|------------|-----------|--------------------------|------|
| 0.00- 0.10 | 7.0       | 27.2                     | 1    |  | 0.60- 0.70 | 2.0       | 7.8                      | 1    |
| 0.10- 0.20 | 8.0       | 31.0                     | 1    |  | 0.70- 0.80 | 1.0       | 3.9                      | 1    |
| 0.20- 0.30 | 5.0       | 19.4                     | 1    |  | 0.80- 0.90 | 2.0       | 7.8                      | 1    |
| 0.30- 0.40 | 6.0       | 23.3                     | 1    |  | 0.90- 1.00 | 8.0       | 29.5                     | 2    |
| 0.40- 0.50 | 4.0       | 15.5                     | 1    |  | 1.00- 1.10 | 70.0      | 258.2                    | 2    |
| 0.50- 0.60 | 3.0       | 11.6                     | 1    |  |            |           |                          |      |

$N = N_{10}$     numero di colpi penetrazione punta - avanzamento  $\delta = 10$  cm



$R_{pd}$  (kg/cm<sup>2</sup>)

resistenza dinamica alla punta (formula olandese)

0 10 20 30 40 50 60 70 80 90 100 120 140 160 180 200 220 240 260

(m)

