

PROVA PENETROMETRICA DINAMICA TABELLE VALORI DI RESISTENZA

M

- indagine :
- cantiere :
- località :
- note :

- data : 11/09/1996
- quota inizio :
- prof. falda : Falda non rilevata
- pagina : 1

Prof.(m)	N(colpi p)	Rpd(kg/cm ²)	N(colpi r)	asta	Prof.(m)	N(colpi p)	Rpd(kg/cm ²)	N(colpi r)	asta
0.00 - 0.10	—	—	—	1	3.50 - 3.60	20	64.6	—	4
0.10 - 0.20	10	38.4	—	1	3.60 - 3.70	13	42.0	—	4
0.20 - 0.30	6	23.0	—	1	3.70 - 3.80	14	45.2	—	4
0.30 - 0.40	9	34.5	—	1	3.80 - 3.90	5	15.3	—	5
0.40 - 0.50	16	61.4	—	1	3.90 - 4.00	12	36.8	—	5
0.50 - 0.60	24	92.1	—	1	4.00 - 4.10	13	39.9	—	5
0.60 - 0.70	30	115.1	—	1	4.10 - 4.20	7	21.5	—	5
0.70 - 0.80	39	149.6	—	1	4.20 - 4.30	4	12.3	—	5
0.80 - 0.90	25	90.3	—	2	4.30 - 4.40	5	15.3	—	5
0.90 - 1.00	21	75.8	—	2	4.40 - 4.50	6	18.4	—	5
1.00 - 1.10	20	72.2	—	2	4.50 - 4.60	4	12.3	—	5
1.10 - 1.20	19	68.6	—	2	4.60 - 4.70	3	9.2	—	5
1.20 - 1.30	14	50.5	—	2	4.70 - 4.80	5	15.3	—	5
1.30 - 1.40	14	50.5	—	2	4.80 - 4.90	4	11.7	—	6
1.40 - 1.50	13	46.9	—	2	4.90 - 5.00	6	17.5	—	6
1.50 - 1.60	31	111.9	—	2	5.00 - 5.10	6	17.5	—	6
1.60 - 1.70	51	184.1	—	2	5.10 - 5.20	6	17.5	—	6
1.70 - 1.80	21	75.8	—	2	5.20 - 5.30	11	32.2	—	6
1.80 - 1.90	20	68.2	—	3	5.30 - 5.40	14	40.9	—	6
1.90 - 2.00	18	61.4	—	3	5.40 - 5.50	15	43.8	—	6
2.00 - 2.10	10	34.1	—	3	5.50 - 5.60	14	40.9	—	6
2.10 - 2.20	11	37.5	—	3	5.60 - 5.70	14	40.9	—	6
2.20 - 2.30	11	37.5	—	3	5.70 - 5.80	15	43.8	—	6
2.30 - 2.40	6	20.5	—	3	5.80 - 5.90	16	44.6	—	7
2.40 - 2.50	6	20.5	—	3	5.90 - 6.00	16	44.6	—	7
2.50 - 2.60	11	37.5	—	3	6.00 - 6.10	16	44.6	—	7
2.60 - 2.70	11	37.5	—	3	6.10 - 6.20	16	44.6	—	7
2.70 - 2.80	11	37.5	—	3	6.20 - 6.30	16	44.6	—	7
2.80 - 2.90	15	48.5	—	4	6.30 - 6.40	15	41.9	—	7
2.90 - 3.00	16	51.7	—	4	6.40 - 6.50	16	44.6	—	7
3.00 - 3.10	13	42.0	—	4	6.50 - 6.60	16	44.6	—	7
3.10 - 3.20	14	45.2	—	4	6.60 - 6.70	15	41.9	—	7
3.20 - 3.30	27	87.2	—	4	6.70 - 6.80	15	41.9	—	7
3.30 - 3.40	24	77.5	—	4	6.80 - 6.90	16	42.7	—	8
3.40 - 3.50	17	54.9	—	4	6.90 - 7.00	15	40.0	—	8

Indagine n. 33

- PENETROMETRO DINAMICO tipo : DL-030 SUNDA

- M (massa battente)= 30.00 kg - H (altezza caduta)= 0.20 m

- Numero Colpi Punta N = N(10) [δ = 10 cm]

- A (area punta)= 10.00 cm² - D(diam. punta)= 35.68 mm

- Uso rivestimento / fanghi iniezione : NO

Software by: Dr D MERLIN - 0425/840820

Idrogeologia, Geotecnica, Geochemica, Geologia Ambientale.